

**SIXTH EUROPEAN SYMPOSIUM
ON
CONTROLLED DRUG DELIVERY**

APRIL 12 - 14, 2000

IN HOTEL ORANJE

NOORDWIJK AAN ZEE, THE NETHERLANDS

Organizing Committee:	J. Feijen	(chairman)
	J. Heller	(co-chairman)
	A.P. Sam	(treasurer)
	I. Bante	(secretary)
	D.A. Crommelin	(member)
	H. Junginger	(member)
	W.E. Hennink	(member)
M.A.G. Wiehink	(secretariat)	

SECRETARIAT

Sixth European Symposium on Controlled Drug Delivery, University of Twente, BMTI,
P.O. Box 217, 7500 AE Enschede, The Netherlands
Telephone: +31-53-4893367; Telefax: + 31-53-4892319

EDITOR

A.P. Sam
12-14 April 2000
Noordwijk aan Zee
The Netherlands

ISBN 90-365-1438-x

CONTENTS

PREFACE	1
PROGRAMME	3
ABSTRACTS	

ADVANCES IN POLYMERIC MATERIALS FOR DRUG DELIVERY

Depot delivery of proteins in the new millennium: from microspheres to injectable gels <i>J.L. Cleland, S. Darling, A.J. Tipton, G.M. Zentner, S. Sullivan, J. Gibson, F.W. Okumu</i>	11
Novel hydrogels based on physical interactions between enantiomeric lactic acid oligomers grafted to hydrophilic polymers <i>S.J. de Jong, S.C. de Smedt, J.J. van Kettenes-van den Bosch, W.E. Hennink</i>	13
Recent studies of chitosan and poly(acrylic acid) formulations for mucosal drug delivery <i>C.D. Brown, L. Kreilgaard, M. Nakakura, N.C. Lelham, Y. Hayashi, D.K. Pettit, W.R. Gombotz, M. Roberts, J.M. Harris, A.S. Hoffman</i>	17
The Coiled-Coil motif in the design of hybrid hydrogels and epitope displays <i>J. Kopeček, A. Tang, C. Wang, R. Stewart</i>	19
Micropatterning and molecular imprinting for medical applications <i>N.A. Peppas, E. Oral, J.H. Ward</i>	21
Modulated release of cyclosporine from resorbable vinyl pyrrolidone-acrylic copolymer hydrogels. A correlation of "in vitro" and "in vivo" experiments <i>J. San Román, A. Gallardo, F. Fernández, A. Cifuentes, J-C. Diez-Masa, P. Bermejo, M. Rebuelta, A. López-Bravo</i>	23
Polymeric Prodrug design: where are we after 25 years of research? <i>E.H. Schacht</i>	27

RESPONSIVE DRUG DELIVERY SYSTEMS

Polyion complex micelles as environmental sensitive vehicle for DNA and proteins <i>K. Kataoka</i>	29
N-isopropylacrylamide copolymers for the preparation of pH-sensitive liposomes and polymeric micelles <i>J.C. Leroux, D.C. Drummond</i>	31

CONTROLLED DRUG DELIVERY IN TISSUE ENGINEERING

- Poly(ethyleneimine) as a gene delivery vehicle and its potential for tissue engineering 33
W.T. Godbey, A.G. Mikos
- Tissue engineering as a platform for controlled release of therapeutic agents 37
M.V. Sefton, M.H. May, S. Lahooti, J.E. Babensee
- Fibrin-based matrices for growth factor delivery-example VEGF 39
A.H. Zisch, U. Schenk, B. Schweitzer, S. Sakiyama-Elbert, J. Schense, J.A. Hubbell

REGULATORY ASPECTS OF ADVANCED DRUG DELIVERY SYSTEMS

- Regulatory perspectives on in vitro / in vivo correlations 43
V.R.S. Uppoor

DESIGN AND MANUFACTURE OF NOVEL THERAPEUTIC SYSTEMS

- Disease-induced drug targeting using novel peptide-ligand albumins 45
D.K.F. Meijer, E. Beljaars, G. Molema, K. Poelstra
- Drug permeation enhancement via buccal route: possibilities and limitations 47
S. Şenel
- ATTEMPTS: a novel approach for delivery of enzyme drugs without associated toxic effects 51
J.F. Liang, H. Song, Y. Li, Y. Buyn, V.C. Yang

GENE DELIVERY

- Overcoming barriers to nonviral gene delivery 53
J-P. Behr
- Functional and targeted polymeric gene carriers 57
S.W. Kim
- Polycation-based gene transfer for cancer gene therapy 59
E. Wagner, R. Kircheis, S. Brunner, M. Kurs, M. Ogris, B. Robitza, S. Schüller, L. Wightman

PRE-CLINICAL AND CLINICAL DEVELOPMENTS OF NOVEL DOSAGE FORMS

Pre-clinical and clinical development of PEG-Alpha-Interferon for treatment of Hepatitis-C <i>J.M. Harris</i>	61
In vivo evaluation of polymeric micellar paclitaxel formulation: efficacy and toxicity <i>M.H. Seo, S.C. Kim, D.W. Kim, Y.H. Shim, J.H. Oh</i>	63
Biodegradable block copolymers for delivery of proteins and water insoluble drugs <i>G.M. Zentner</i>	67

POSTER ABSTRACTS

Preparation and in vitro drug release of aceclofenac-loaded polymeric systems <i>M.J. Alonso, M.L. García, M. Espina, O. Valls, M.A. Egea</i>	71
Infrared laser pulse controlled drug release from liposome-graphite complexes <i>P. Babinec, M. Babincová, D. Leszczynska, P. Sourivong</i>	75
Inhibition of tumor growth by the continuous delivery of IL-1 receptor antagonist (IL-1Ra) from microencapsulated genetically-engineered cells <i>D. Bar, E. Voronov, D. Ben-Harroch, C.A. Dinarello, R.N. Apte, S. Cohen</i>	79
Natural and artificial hydrolyzable polyesters with functionalized side chains for bioactive molecules encapsulation <i>C. Barbaud, E. Renard, V. Langlois, P. Guérin</i>	82
Experimental and theoretical study of solute release from polymeric multilaminate matrices <i>G.Ch. Charalambopoulou, K.G. Papadokostaki, E.S. Kikkinides, A.K. Stubos</i>	86
Membrane neutron diffraction: a promising technique for stratum corneum structural studies <i>G.Ch. Charalambopoulou, Th.A. Steriotis, K.L. Stefanopoulos, A.K. Stubos, N.K. Kanellopoulos, A.Ch. Mitropoulos, T. Hauss</i>	90
Macromolecular anti-tumour derivatives based on phenylene diamine mustard and mitomycin C <i>K. De Winne, L. Seymour, E.H. Schacht</i>	93
New vectors for gene delivery based on poly- α -amino acids <i>L. Dekie, B. Calisle, M. Mannisto, L. Seymour, A. Urtti, E.H. Schacht</i>	95
Evaluation of oral delivery of salmon calcitonin using W/O/W multiple emulsion formulations <i>S.T. Dođru, S. Çaliş, F. Öner, B. Salmanođlu, R. Alpar, A.A. Hincal</i>	96
Effect of a PEO block or graft on the properties of polymer-DNA complexes <i>P. Dubruel, E.H. Schacht</i>	100
In vivo evaluation of a bioadhesive buccal tablet formulation of naproxen sodium in post-operative complications of impacted third molars <i>D. Emek-Çifçi, S. Şenel, N. Güngör</i>	101
In vitro release of flurbiprofen from microemulsions and nanocapsules <i>F. Gamisans, C. Solans, M.J. García-Celma, N. Azemar, M.A. Egea, M.L. García</i>	105
Silicone polyethers – possible surfactants for dermal microemulsions containing sodium ascorbyl phosphate <i>M. Gašperlin, P. Špiclin, J. Kristl</i>	109

Hydrogels by stereo-complexation of water-soluble PLLA-PEO-PLLA and PDLA-PEO-PDLA triblock-copolymers <i>D.W. Grijpma, J. Feijen</i>	113
Polymerization and stability of liposomes for controlled drug delivery applications <i>P.T. Hennies, C.R.D. Correia, M.H.C. Santana</i>	116
New ionic amphiphile biovector™ as carrier of poor solubility drugs <i>L. Imbertie, D. Betbeder, F. Lescure, P. Von Hoegen, I. De Miguel</i>	121
The influence of polycarbophil/Ca interactions on the relationship between viscosity and mucoadhesion <i>M. Kerec, M. Bogataj, A. Mrhar</i>	125
Evaluation of chitosan blends for oral/gingival administration <i>C.G.L. Khoo, S. Frantzich, M. Bäckström, A. Rosinski, J. Hoogstraate M. Sjöström</i>	128
Free volume and drug release in chitosan-poly(ethylene oxide) semi-IPN's <i>C.G.L. Khoo, M. Persson, M. Schmidt, F.H.J. Maurer</i>	131
Size dependency of microparticle deposition to the inflamed colon in inflammatory bowel disease: <i>in-vivo</i> results from rat <i>A. Lamprecht, U. Schäfer, C-M. Lehr</i>	134
Biodegradable microparticles analyzed for their structural features by confocal laser scanning microscopy <i>A. Lamprecht, U. Schäfer, C-M. Lehr</i>	137
Microspheres with hydrophilic and protein-friendly surface as protein delivery systems prepared by dispersion polymerization <i>M. Laus, K. Sparnacci, A. Sante Angeloni, S. Valenti, L. Tondelli</i>	140
Controlled proteins and Ca ²⁺ release from biomimetic calcium phosphate coatings on Ti6Al4V implants <i>Y.M. Liu, P. Layrolle, C.A. van Blitterswijk, K. de Groot</i>	144
Design development of a transdermal patch with an experimental CNS drug <i>J. Mensch, A. van Dijck, C. Borremans, M. Noppe</i>	147
Magnetophoresis: a novel approach in transdermal drug permeation enhancement <i>S.N. Murthy, S.R.R. Hiremath</i>	149
Poly(N-isopropylacrylamide) with hydrolyzable lactic acid ester side groups: a new type of thermosensitive polymer suitable for drug delivery purposes <i>D. Neradovic, W.L.J. Hinrichs, J.J. Kettenes-van den Bosch, C.F. van Nostrum, W.E. Hennink</i>	153
Enzymatically degradable PEG multiblock copolymers with hydrazone-attached doxorubicin in cancer therapy <i>M. Pechar, K. Ulbrich, M. Jelínková, B. Říhová</i>	155

Cyclodextrin vesicles for drug delivery <i>B.J. Ravoo</i>	157
Modified Poly[N ⁵ -(2-hydroxyethyl-L-glutamine)] as carrier for macromolecular prodrugs <i>E. Roseeuw, E.H. Schacht, B. Paesen</i>	160
Drug release and ocular toxicity of cyclophosphamide loaded nanospheres <i>A. Salgueiro, M.A. Egea, O. Valls, M. Espina, M.L. Garcia</i>	161
End functionalized PVP as new oligomer for enzyme modification <i>O. Schiavon, P. Ferruti, P. Caliceti, F.M. Veronese</i>	165
Ion-exchange based delivery of antibiotics to various sites in the gastrointestinal tract <i>A.M. Sundell, B. Stenlund</i>	169
A study of the complexes between DNA and cationic polymers <i>V. Toncheva, E. Schacht, F. Black, M. Davies</i>	172
Rational Stabilization of lysozyme against emulsification-induced denaturation <i>M. van de Weert, J. Hochstetter, W.E. Hennink, D.J.A. Crommelin</i>	173
Release of small water-soluble molecules from poly(ethylene glycol)/poly(butylene terephthalate) matrices <i>R. van Dijkhuizen-Radersma, J.M. Bezemer, C.A. van Blitterswijk</i>	176
Fluorescence correlation spectroscopy as a tool to optimize pharmaceutical carriers for DNA <i>E. van Rompaey, N. Sanders, E. van Craenenbroeck, Y. Engelborghs, S.C. de Smedt, J. Demeester</i>	180
Effect of preparation conditions on theophylline release from biodegradable poly (DL-lactic acid) microspheres <i>E. Vasheghani-Farahani, H. Hosseinkhani, M. Nekomanesh</i>	184
The use of an oriented, collagen based matrix for nerve regeneration in the central nervous system <i>M. Wonder, L. Buttafoco, R.W.F. Wiertz, P.J. Dijkstra, A.A. Poot, W.L.C. Rutten, E. Marani, J. Feijen</i>	188
Terplex gene carriers system targeting to artery wall cells <i>L. Yu, S.W. Kim</i>	190
Biodegradable nanospheres for local drug delivery to prevent restenosis after balloon angioplasty <i>M.L.T. Zweers, G.H.M. Engbers, D.W. Grijpma, J. Feijen</i>	192